

	Type	Hits	Search Text	DBs
1	BRS	32	industrial adj control adj program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	14	(industrial adj control adj program) and (ladder adj logic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	10	((industrial adj control adj program) and (ladder adj logic)) and @ad<20010611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	5	((((industrial adj control adj program) and (ladder adj logic)) and @ad<20010611) and compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	7	((((industrial adj control adj program) and (ladder adj logic)) and @ad<20010611) and (compar\$5 or contrast\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	3138	industrial adj control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	102	(industrial adj control) and (ladder adj logic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	88	((industrial adj control) and (ladder adj logic)) and @ad<20010611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	9	((((industrial adj control) and (ladder adj logic)) and @ad<20010611) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	6	5812133.URPN.	USPAT
11	BRS	26573	((software adj development) or program\$4) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	14565	((((software adj development) or program\$4) and 345.clas.) and compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	11887	(((((software adj development) or program\$4) and 345.clas.) and compar\$4) and @ad<20010611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	1065	((((((software adj development) or program\$4) and 345.clas.) and compar\$4) and @ad<20010611) and ((multiple or two) adj (window or pane or frame))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	156	((((((((software adj development) or program\$4) and 345.clas.) and compar\$4) and @ad<20010611) and ((multiple or two) adj (window or pane or frame))) and (indicat\$3 adj3 (difference or change or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	154	(((((((((software adj development) or program\$4) and 345.clas.) and compar\$4) and @ad<20010611) and ((multiple or two) adj (window or pane or frame))) and (indicat\$3 adj3 (difference or change or update))) and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	4	diff adj operator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
18	BRS	547	difference adj operator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	30	(difference adj operator) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	21	((comparison adj3 (program or code)) with version).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	52	((compari\$3 adj3 (program or code)) with version).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	45	((((compari\$3 adj3 (program or code)) with version).ab,ti.) and @ad<20010611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	0	(((((compari\$3 adj3 (program or code)) with version).ab,ti.) and @ad<20010611) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	3771	((difference or comparison) adj3 (program or code or version)).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	16	((((difference or comparison) adj3 (program or code or version)).ab,ti.) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	11454	(compar\$4 adj3 (program or code or version)).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	42	((compar\$4 adj3 (program or code or version)).ab,ti.) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	33	((((compar\$4 adj3 (program or code or version)).ab,ti.) and 345.clas.) not (((difference or comparison) adj3 (program or code or version)).ab,ti.) and 345.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	298	(compar\$4 adj version).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	0	((compar\$4 adj version).ab,ti.) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	101	(compar\$4 with different with version).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	0	((compar\$4 with different with version).ab,ti.) and 345.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	88	((compar\$4 with different with version).ab,ti.) and @ad<20010611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	1	6560620.URPN.	USPAT
35	BRS	16	("5142619"   "5202986"   "5281967" "5410671"   "5479600"   "5511159" "5819300"   "5832520"   "5890177" "5893134"   "5933841"   "5953006" "6226652"   "6324555"   "6502113" "6560620").PN.	USPAT
36	BRS	0	6658626.URPN.	USPAT

	Type	Hits	Search Text	DBs
37	BRS	41	717/122.cor.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	91	717/122.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	40	717/122.cor. and @ad<20020611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	242	715/511.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	77	715/511.cor.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	53	715/511.cor. and @ad<20010611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	7	("4827330"   "5142619"   "RE35861"   "5819300"   "5956726"   "6064968"   "6366933").PN.	USPAT
44	BRS	0	((side adj side) with comparision with version).ab,ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	0	((side adj side) with comparision with version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	0	((side adj2 side) with comparision with version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	0	((side adj2 side) same comparision same version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	0	((two adj (frame pane panel window)) same comparision same version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	32	((side adj2 side) same comparision)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	29	((side adj2 side) same comparision)) and @ad<20010611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	19	((("adjacent") with comparision)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	9983	(side adj2 side) with display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	9	((side adj2 side) with display) and comparision	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	1828	((side adj2 side) with display) and comparison	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	356	((side adj2 side) with display) and comparison) and version	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	58	((side adj2 side) with display) and comparison) and version) and (data adj structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
57	BRS	42	(((((side adj2 side) with display) and comparison) and version) and (data adj structure)) and @ad<20010611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	70	5226118.URPN.	USPAT
59	BRS	135	compar\$4 with code adj3 version	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	5	(compar\$4 with code adj3 version) and (side adj2 side)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	14	("4899299"   "4974173"   "5008853" "5410648"   "5428729"   "5442740" "5581797"   "5644692"   "5710899" "5742777"   "5793369"   "5847972" "5877760"   "5945998").PN.	USPAT
62	BRS	0	6275223.URPN.	USPAT
63	BRS	0	6275223.URPN.	USPAT
64	BRS	4	(6275223 6560620).pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	90	717/122.ccls. and @ad<20020611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	50	(717/122.ccls. and @ad<20020611) not (717/122.cor. and @ad<20020611)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	10	("5481722"   "5555409"   "5598208" "5671428"   "5737740"   "5765176" "5787280"   "5799315"   "5806078" "5845293").PN.	USPAT
68	BRS	3	6226652.URPN.	USPAT
69	BRS	208	715/511.ccls. and @ad<20010611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	155	(715/511.ccls. and @ad<20010611) not 715/511.cor. and @ad<20010611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	155	(715/511.ccls. and @ad<20010611) not (715/511.cor. and @ad<20010611)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	96	((715/511.ccls. and @ad<20010611) not (715/511.cor. and @ad<20010611)) and compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	20	((715/511.ccls. and @ad<20010611) not (715/511.cor. and @ad<20010611)) and compar\$4) and ((side adj2 side) or "adjacent")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	BRS	23	((715/511.ccls. and @ad<20010611) not (715/511.cor. and @ad<20010611)) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
75	BRS	20	((715/511.ccls. and @ad<20010611) not (715/511.cor. and @ad<20010611)) and (compar\$4.ab,ti.) not (((715/511.ccls. and @ad<20010611) not (715/511.cor. and @ad<20010611)) and compar\$4) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	BRS	6	5812133.URPN.	USPAT
77	BRS	22	("3686639"   "4827404"   "5113359"   "5134701"   "5193179"   "5204956"   "5237652"   "5263153"   "5276811"   "5295059"   "5321829"   "5428618"   "5437007"   "5450586"   "5485620"   "5560009"   "5576946"   "5615104"   "5619409"   "5631825"   "5652899"   "5715387").PN.	USPAT
78	BRS	8	(6275223 6226652 6560620 5812133).pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
79	BRS	162	(database or (data adj structure) or (data adj store)) with difference with between with (document or program or version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	BRS	117	((database or (data adj structure) or (data adj store)) with difference with between with (document or program or version)) and @ad<20010611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	BRS	96	((((database or (data adj structure) or (data adj store)) with difference with between with (document or program or version)) and @ad<20010611) and compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	BRS	15	((((database or (data adj structure) or (data adj store)) with difference with between with (document or program or version)) and @ad<20010611) and compar\$4) and (control adj program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83	BRS	3	6449624.URPN.	USPAT
84	BRS	7	("5619716"   "5649200"   "5784577"   "5903897"   "5940294"   "6092189"   "6112126").PN.	USPAT
85	BRS	121	(database or (data adj structure) or (data adj store)) with difference adj between with (document or program or version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	BRS	121	(database or (data adj structure) or (data adj store)) with (difference adj between) with (document or program or version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87	BRS	90	((database or (data adj structure) or (data adj store)) with (difference adj between) with (document or program or version)) and @ad<20010611	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
88	BRS	20	((database or (data adj structure) or (data adj store)) with (difference adj between) with (document or program or version)) and @ad<20010611) and ((side adj2 side) or "adjacent")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
89	BRS	2	5838906.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
90	BRS	2	6449624.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
91	BRS	2031	707/203	USPAT
92	BRS	0	707/203.ccls	USPAT
93	BRS	845	707/203.ccls.	USPAT
94	BRS	824	707/203.ccls. and @ad<20010611	USPAT
95	BRS	559	(707/203.ccls. and @ad<20010611) and compar\$4	USPAT
96	BRS	424	((707/203.ccls. and @ad<20010611) and compar\$4) and (version)	USPAT
97	BRS	17	((707/203.ccls. and @ad<20010611) and compar\$4) and (version)) and (side adj2 side)	USPAT
98	BRS	0	display adj2 only adj2 best adj2 match\$2	USPAT
99	BRS	12	display adj2 best adj2 match\$2	USPAT
100	BRS	543	(maxim\$4 or most or "greatest possible") with matches with (code or instruction or text)	USPAT
101	BRS	521	((maxim\$4 or most or "greatest possible") with matches with (code or instruction or text)) and @ad<20010611	USPAT
102	BRS	471	((maxim\$4 or most or "greatest possible") with matches with (code or instruction or text)) and @ad<20010611) and compar\$5	USPAT
103	BRS	21	((maxim\$4 or most or "greatest possible") with matches with (code or instruction or text)) and @ad<20010611) and compar\$5) and 345.clas.	USPAT
104	BRS	474	(maxim\$4 or most or "greatest possible") with matches with (code instruction)	USPAT
105	BRS	453	((maxim\$4 or most or "greatest possible") with matches with (code instruction)) and @ad<20010611	USPAT
106	BRS	413	((maxim\$4 or most or "greatest possible") with matches with (code instruction)) and @ad<20010611) and compar\$5	USPAT
107	BRS	7	((maxim\$4 or most or "greatest possible") with matches with (code instruction)) and @ad<20010611) and compar\$5) and (side adj2 side)	USPAT

	Type	Hits	Search Text	DBs
108	BRS	4	(6449624   6560620   6226652   6275223) .p n.	USPAT
109	BRS	4	(6275223   6226652   5812133   6449624) .p n.	USPAT